

Spiral, Spring & Corded Balances


For detailed information regarding balances, see our separate Spiral Balance guide



Fitch Catches & Sash Locks

Fitch catches securely lock the top and bottom sashes together.

A keeper is fixed to the top sash and the catch to the bottom sash, the cam on the fitch catch locks into the keep when operated. We offer a choice of various locks in a variety of finishes.



Sash Lifts & Pulls

Sash lifts allow for greater ease of use when operating sash windows.

Pole rings can also be supplied for pole operation on windows that are hard to reach.



Sash stops & Restrictors

Sash stops are a simple and cost-effective method of restricting the opening of sash windows.


They offer enhanced safety and security and can be fitted discreetly to UPVC & timber sashes.

Attachments & Brackets

Balance brackets are used to attach the balances to the sashes on non-tilt sash windows.
Pivot bars attach the sash to the pivot shoe - options are also available to accommodate horn arrangements

Shackles link the sash and outer frame via the pivot bar and shoe assembly, eliminating sash disengagement during operation.

We can supply a wide range of various attachments & fixing accessories to suit numerous applications.



Pivot Shoes, Brake Blocks & Clutch Sets


Pivot shoes are used to attach the balances to the sashes on tilting sash windows.

They are designed to lock any vertical movement of the sash when in the tilt position.



Tilt Latches

Tilt latches further support vertical sliding windows and provide positive engagement of tilting sliding sash windows.



Tilt Restrictors

Tilt restrictor arms are available in various lengths to suit different size sashes.

